



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	-33 ADDED DART LOGO TO LABLES. -41 ADDED TOP FOAM. -43 & -45 ADDED RIVETS AND WASHER.	10/11/2013	CFS	


















ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
		B/O	-01	2	GAUGE PIN	STEEL	Ø.0450 X 1 ARONSON-CAMPBELL #1955247	1
		B/O	-03	2	GAUGE PIN	STEEL	Ø.0540 X 1 ARONSON-CAMPBELL #1955248	1
		B/O	-05	2	GAUGE PIN	STEEL	Ø.0600 X 1 ARONSON-CAMPBELL #1955251	1
		B/O	-07	2	GAUGE PIN	STEEL	Ø.0960 X 1 ARONSON-CAMPBELL #1955252	1
		B/O	-09	2	GAUGE PIN	STEEL	Ø.1080 X 1 ARONSON-CAMPBELL #1955256	1
		B/O	-11	2	GAUGE PIN	STEEL	Ø.1200 X 1 ARONSON-CAMPBELL #1955257	1
		B/O	-13	2	GAUGE PIN	STEEL	Ø.1440 X 1 ARONSON-CAMPBELL #1955258	1
		B/O	-15	2	GAUGE PIN	STEEL	Ø.1440 X 1/4 ARONSON-CAMPBELL #1955258	1
		B/O	-17	2	GAUGE PIN	STEEL	Ø.1600 X 1 ARONSON-CAMPBELL #1955259	1
		B/O	-19	2	GAUGE PIN	STEEL	Ø.1600 X 1/4 ARONSON-CAMPBELL #1955259	1
		B/O	-21	2	GAUGE PIN	STEEL	Ø.1728 X 1 ARONSON-CAMPBELL #19552260	1
		B/O	-23	2	GAUGE PIN	STEEL	Ø.1728 X 1/4 ARONSON-CAMPBELL #19552260	1
		B/O	-25	2	GAUGE PIN	STEEL	Ø.1920 X 1 ARONSON-CAMPBELL #19552261	1
		B/O	-27	2	GAUGE PIN	STEEL	Ø.2057 X 1 ARONSON-CAMPBELL #19552262	1
		B/O	-29	2	GAUGE PIN	STEEL	Ø.2160 X 1 ARONSON-CAMPBELL #19552263	1
		B/O	-31	15	VIALS, WITH LIDS	CLEAR STYRENE	Ø5/8 ID X 1-5/8 L.A. CONTAINER #071600	1
		B/O	-33	1	LABLES	PAPER	.005 X 1.5 X 1.5	2
		B/O	-35	1	HARD CASE	BLACK PLASTIC	7.38 X 4.88 X 3.12 PELICAN APP-1120F	1
		B/O	-37	1	BOTTOM FOAM	Y20 BLACK	2.58 X 4.83 X 7.34 I.R. SPECIALTY FOAM	3
		B/O	-39	1	RED BARN PLACARD	ALUMINUM	RB41009	N/S
		B/O	-41	1	TOP FOAM	C200 EGGSHELL, BLACK	.45 X 4.67 X 7.14 I.R. SPECIALTY FOAM	4
		B/O	-43	4	POP RIVET	ALUMINUM	Ø1/8 X 1/2 EUGENE FASTENER & SUPPLY #RAA46X	N/S
		B/O	-45	4	RIVET WASHER	ALUMINUM	Ø3/8 X 1/16 EUGENE FASTENER & SUPPLY #RIVRWA-4	N/S



		RED BARN MACHINE	
TITLE		SPLINE MEASURING KIT	
DWG NO.	RB KIT B		REV 1
MAT'L	DRAWN BY: PERRITT		APPROVED <i>D Weil</i>
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		HEAT TREAT	
.XXX ± .005 FRACTIONS ± 1/32		FINISH	
.XX ± .01 ANGLES ± 5°		SPEC	
.X ± .1		USED ON MODEL	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R		BELL 206	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING			
SCALE	1:2	DATE	12/29/2009
		SHEET 1 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL
1	-33 ADDED DART LOGO TO LABLES.	10/11/2013	CF5




<div>3.75</div> <div>3X 1.25</div>	 GEAR & SPLINE WEAR CHECK PINS .0450" DIA. 2 EACH -1" LONG 190 S. DANEBO AVE. EUGENE, OR. 97402 1-800-556-4166 sales@dartaero.com	 GEAR & SPLINE WEAR CHECK PINS .0540" DIA. 2 EACH -1" LONG 190 S. DANEBO AVE. EUGENE, OR. 97402 1-800-556-4166 sales@dartaero.com	 GEAR & SPLINE WEAR CHECK PINS .0600" DIA. 2 EACH -1" LONG 190 S. DANEBO AVE. EUGENE, OR. 97402 1-800-556-4166 sales@dartaero.com	 GEAR & SPLINE WEAR CHECK PINS .0960" DIA. 2 EACH -1" LONG 190 S. DANEBO AVE. EUGENE, OR. 97402 1-800-556-4166 sales@dartaero.com	 GEAR & SPLINE WEAR CHECK PINS .1080" DIA. 2 EACH -1" LONG 190 S. DANEBO AVE. EUGENE, OR. 97402 1-800-556-4166 sales@dartaero.com
	 GEAR & SPLINE WEAR CHECK PINS .1200" DIA. 2 EACH -1" LONG 190 S. DANEBO AVE. EUGENE, OR. 97402 1-800-556-4166 sales@dartaero.com	 GEAR & SPLINE WEAR CHECK PINS .1440" DIA. 2 EACH -1" LONG 190 S. DANEBO AVE. EUGENE, OR. 97402 1-800-556-4166 sales@dartaero.com	 GEAR & SPLINE WEAR CHECK PINS .1440" DIA. 2 EACH -1/4" LONG 190 S. DANEBO AVE. EUGENE, OR. 97402 1-800-556-4166 sales@dartaero.com	 GEAR & SPLINE WEAR CHECK PINS .1600" DIA. 2 EACH -1" LONG 190 S. DANEBO AVE. EUGENE, OR. 97402 1-800-556-4166 sales@dartaero.com	 GEAR & SPLINE WEAR CHECK PINS .1600" DIA. 2 EACH -1/4" LONG 190 S. DANEBO AVE. EUGENE, OR. 97402 1-800-556-4166 sales@dartaero.com
	 GEAR & SPLINE WEAR CHECK PINS .1728" DIA. 2 EACH -1" LONG 190 S. DANEBO AVE. EUGENE, OR. 97402 1-800-556-4166 sales@dartaero.com	 GEAR & SPLINE WEAR CHECK PINS .1728" DIA. 2 EACH -1/4" LONG 190 S. DANEBO AVE. EUGENE, OR. 97402 1-800-556-4166 sales@dartaero.com	 GEAR & SPLINE WEAR CHECK PINS .1920" DIA. 2 EACH -1" LONG 190 S. DANEBO AVE. EUGENE, OR. 97402 1-800-556-4166 sales@dartaero.com	 GEAR & SPLINE WEAR CHECK PINS .2057" DIA. 2 EACH -1" LONG 190 S. DANEBO AVE. EUGENE, OR. 97402 1-800-556-4166 sales@dartaero.com	 GEAR & SPLINE WEAR CHECK PINS .2160" DIA. 2 EACH -1" LONG 190 S. DANEBO AVE. EUGENE, OR. 97402 1-800-556-4166 sales@dartaero.com
	<div>5X 1.25</div> <div>6.25</div>				

-33
LABLES

 RED BARN MACHINE	
TITLE SPLINE MEASURING KIT	
DWG NO. RB KIT B-33	REV 1
MAT'L PAPER	DRAWN BY: PERRITT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	APPROVED  HEAT TREAT FINISH SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL BELL 206
SCALE 1:1	DATE 12/29/2009
SHEET 2 OF 4	



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL
			APPROVED






(-37)

BOTTOM FOAM



 RED BARN MACHINE	
TITLE SPLINE MEASURING KIT	
DWG NO. RB KIT B-37	REV 1
MAT'L Y20 BLACK	DRAWN BY: PERRITT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ± 5°	APPROVED  HEAT TREAT FINISH SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL BELL 206
SCALE 1:2	DATE 12/29/2009
SHEET 3 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	-41 ADDED TOP FOAM.	10/11/2013	CFS	



(-41)
TOP FOAM

 RED BARN MACHINE	
TITLE SPLINE MEASURING KIT	
DWG NO. RB KIT B-41	REV 1
MAT'L C200 EGGSHELL, BLACK	DRAWN BY: PERRITT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	APPROVED 
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	HEAT TREAT FINISH SPEC USED ON MODEL BELL 206
SCALE 1:2	DATE 12/29/2009 SHEET 4 OF 4